

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 December 2009

(For the Period 1 December 2009 to 14 December 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	MIL-DTL-0032338	Cartridge, 5.56MM, Ball, Lead Free Slug - M855A1 [CUST: AR]	D	1305		AR	01-DEC-2009
M	MIL-DTL-70663C	Cartridge, Caliber .50, Slap Ball and Tracer (Saboted Light Armor Penetrator) - M903 and M962 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR NP]	D	1305		AR	01-DEC-2009
M	MIL-STD-1170 NOT 2	Visual Standards and Comparison Methods for Evaluating Grain Configuration in 7.62 MM Cartridge Cases [CUST: AV]	A	1305		AV	16-DEC-2009
N	MIL-DTL-32326	Fuze, Pyrotechnic Self Destruct-M1162 [CUST: AR]	A	1390		AR	07-DEC-2009
M	A-A-52447A	Pump, Fuel, Cam-Actuated: Engine, Mechanical Diaphragm and Parts Kit, Engine Fuel Pump [CUST: AT 99] [REVIEW: 70 CC CR4]	A	2910	/	AT	14-DEC-2009
N	A-A-59850	Ladder, Escape [CUST: GL MC CT]	A	4240	/	CT	30-NOV-2009
N	A-A-59851	Washer, Rope [CUST: GL MC CT]	A	4240	/	CT	30-NOV-2009
M	MIL-DTL-13531J	Hose and Hose Assembly, Rubber (Hydraulic, Pneumatic, Flexible) [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV MC MI SA]	A	4720		CC	02-DEC-2009
M	MIL-DTL-25427B SUP 1	Coupling Assembly, Hydraulic, Self-Sealing, Quick Disconnect, General Specification for [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA]	A	4730		AS	08-DEC-2009
N	MIL-DTL-25427/2	Coupling Half, Aircraft Mounting, Hydraulic, Self-Sealing, Quick Disconnect [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA]	A	4730		AS	08-DEC-2009
N	MIL-DTL-25427/4	Coupling Cap, Aircraft Hydraulic, Self-Sealing, Ground Support, Quick Disconnect [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA]	A	4730		AS	08-DEC-2009
M	MS20756E	Flange, Swivel, Retaining [CUST: AV AS 99 CC] [REVIEW: 85 AT SA]	A	4730		CC	17-NOV-2009
N	ISO6150	Couplings for Maximum Working Pressures of 10 Bar, 16 Bar and 25 Bar (1 MPa, 1.6 MPa and 2.5 MPa) - Plug Connecting Dimensions, Pneumatic Fluid Power - Cylindrical Quick-Action, Specifications, Applications Guidelines and Testing First Edition [CUST: AT AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	17-NOV-2009
N	SAE-J2552	Hose Push-On, and Mating Hose Fittings [CUST: AT SH 99 CC] [REVIEW: 71 AR AS MC YD]	A	4730		CC	17-NOV-2009
M	MIL-PRF-914/3B(2)	Resistor Network, Fixed, Film, Surface Mount, 16-Pin, Leadless Chip Carrier, Nonestablished Reliability and Established Reliability, Style RNS030 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	03-DEC-2009
M	QPL-55342-107	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification For	A	5905		CR	10-DEC-2009
M	MIL-PRF-39003/2H	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), Established Reliability, Style CSR09 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	03-DEC-2009
M	MIL-PRF-39003/3H	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Style CSR23 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	03-DEC-2009
M	MIL-PRF-39003/6E	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), Established Reliability, Style CSR33 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	03-DEC-2009
M	MIL-PRF-39003/9F	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), High Frequency, Established Reliability, Style CSR21 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	10-DEC-2009
M	MIL-PRF-39003/10D	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Styles CSS13 and CSS33 (High Reliability Applications) [CUST: CR EC 19 CC NA] [REVIEW: 99 AS MC OS SH]	A	5910		CC	10-DEC-2009
M	MIL-DTL-13625F	Switches, Pull; Switches, Push; Switches, Beam Selecting, Headlight: Electrical (28 Volts DC Maximum, for Military Vehicles) [CUST: AT CC] [REVIEW: CR4 MI]	A	5930		CC	09-DEC-2009
M	MIL-DTL-24308/5M	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Receptacle, Socket Contacts, Nonmagnetic, Class M and N, Solder Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/6P	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Receptacle Socket Contacts, Nonmagnetic, Classes M and N, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/7J	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Pin Contacts, Nonmagnetic, Classes M and N, Solder Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/8P	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Pin Contacts, Nonmagnetic, Class M and N, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/23G	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, Socket Contacts Printed Wiring Board Termination Types [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/24H	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rank and Panel, Pin Contacts Printed Wiring Board Termination Types [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/27E	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Insulation Displacement, Socket Contacts, Nonenvironmental [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-24308/28E	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Insulation Displacement, Pin Contacts, Nonenvironmental, Class G [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	01-DEC-2009
M	MIL-DTL-55302G	Connectors, Printed Circuit Subassembly and Accessories [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	5935		CC	09-NOV-2009
M	MIL-DTL-55302/154C NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Mounting Hardware for Printed Wiring Boards [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC OS SH]	A	5935		CC	16-DEC-2009
M	MIL-DTL-55302/155B NOT 1	Connectors, Printed Circuit Subassembly and Accessories, Hood for Printed Wiring Boards [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	16-DEC-2009
M	MIL-DTL-55302/156E NOT 1	Connectors, Printed Circuit Subassembly and Accessories; Plug, Right Angle, Decade Increments 10 Through 120, 150, 160 and 180 Contact Positions, for Printed Wiring Boards (.075 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935		CC	16-DEC-2009
M	MIL-DTL-55302/157B NOT 1	Connectors, Printed Circuit Subassembly and Accessories; {Plug, Straight Thru Contacts, 64 or 96 Contact Positions, for Printed Wiring Boards (.100 Inch Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-DEC-2009
M	MIL-DTL-55302/158C NOT 1	Connectors, Printed Circuit Subassembly and Accessories; Receptacle Socket Contacts, 64 or 96 Contact Positions, for Printed Wiring Boards (.100 Inch Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	16-DEC-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-83723G	Connectors, Electrical, (Circular, Environment Resisting), Receptacles and Plugs, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR AV EC MI OS]	A	5935		CC	07-DEC-2009
M	MIL-PRF-83536/9C	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, all Welded, DC Coils [CUST: EC 85 CC] [REVIEW: 99]	A	5945		CC	10-DEC-2009
M	MIL-PRF-27/56E	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	11-DEC-2009
M	MIL-M-38510/55G NOT 1	Microcircuits, Digital, CMOS, Buffer/Converter, True/Compliment Buffer, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/103H NOT 1	Microcircuits, Linear, Voltage Comparators, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/754B NOT 1	Microcircuits, Digital, Advanced CMOS, Latches, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/756B NOT 1	Microcircuits, Digital, Advanced CMOS, Flip-Flops, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	A-A-59134 NOT 2	Insulating Compound, Electrical, Epoxy, Colloidal Silica Filled for Potting and Encapsulation [CUST: MI] [REVIEW: GS]	A	5970	/	MI	16-DEC-2009
M	MIL-DTL-3922/67D	Flanges, Waveguide (Contact) (Round, 4 Hole) (Millimeter) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS]	A	5985		CC	03-DEC-2009
N	IPC-2141	Circuit Boards, Design Guide for High-Speed Controlled Impedance [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	03-DEC-2009
M	QPL-2212-53 NOT 1	Contactors and Controllers, Electric Motor AC or DC, and Associated Switching Devices (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6110		SH	09-DEC-2009
M	MIL-DTL-17/223(5) NOT 1	Cable, Radio Frequency, Flexible, Coaxial, 50 Ohms, Low Smoke, Low Loss Diameter .405 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	12-NOV-2009
M	QPL-AS85485 NOT 2	Cable, Electric, Filter Line, Radio Frequency Absorptive (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6145		AS	02-DEC-2009
M	QPL-5913-7 NOT 1	Transmitter, Rate of Flow, Synchro, Type J-5 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6620		71	04-DEC-2009
M	A-A-59760 NOT 1	Ten-Degree Xylene [CUST: MR SH 68] [REVIEW: 03 AS CR4 EA GL]	A	6810	/	GS3	16-DEC-2009
M	MIL-PRF-25017G NOT 1	Inhibitor, Corrosion/Lubricity Improver, Fuel Soluble [CUST: AT AS 68] [REVIEW: 11 AV GS MD1 PS SH]	A	6850		68	16-DEC-2009
M	A-A-56032D NOT 1	Ink, Marking, Epoxy Base [CUST: MI AS 99] [REVIEW: 84 AR EA GL MD OS]	A	7510	/	MI	16-DEC-2009
M	A-A-857B NOT 2	Thinner, Dope and Lacquer (Cellulose Nitrate) [CUST: AV 99] [REVIEW: 84]	A	8010	*	AV	16-DEC-2009
M	QPL-23586-14 NOT 1	Sealing Compound, (With Accelerator), Silicone Rubber, Electrical (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8030		AS	02-DEC-2009
M	A-A-56031 NOT 2	Adhesive, Epoxy, Modified, Flexible, Two Component [CUST: MI]	A	8040	/	MI	16-DEC-2009
M	A-A-59116 NOT 2	Primer, Silicone Rubber Sealant [CUST: MI]	A	8040	/	MI	16-DEC-2009
M	MIL-PRF-47033B NOT 2	Glass, Borosilicate [CUST: MI] [REVIEW: AR GS IS]	A	9340		MI	16-DEC-2009
N	DI-FNCL-81787	Contract Cost Report for Avails 12 Weeks or Less [AMSC: N9103]	A	FNCL		SH	26-OCT-2009
M	MIL-STD-1477C NOT 2	Symbols for Army System Displays (Metric) [CUST: MI] [REVIEW: AV CE CR MD1 TE]	A	HFAC		MI	16-DEC-2009
N	DI-MGMT-81797	Program Management Plan [AMSC: F9115]	A	MGMT		70	08-DEC-2009
M	MIL-STD-1907(4) NOT 4	Inspection, Liquid Penetrant and Magnetic Particle, Soundness Requirements for Materials, Parts, and Weldments [CUST: MI AS 11] [REVIEW: 24 70 84 AR AT CR4 OS TM]	A	NDTI		MI	16-DEC-2009
N	DI-QCIC-81794	Quality Assurance Program Plan [AMSC: F9112]	A	QCIC		70	08-DEC-2009
N	DI-QCIC-81795	Software Quality Assurance Report [AMSC: F9113]	A	QCIC		70	08-DEC-2009
M	MIL-PRF-63005E NOT 1	Manuals, Technical: Preparation for Shipment of Army Aircraft [CUST: AV] [REVIEW: TM] [AMSC: A9049]	A	TMSS		AV	16-DEC-2009
M	DI-TMSS-81532B	Aerospace Emergency Rescue and Mishap Response Information (Emergency Services) Source Data	A	TMSS		10	30-NOV-2009

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-62267B NOT 1	Chassis, Tank: Armored Vehicle, Bridge Launcher, M60A1 [CUST: AT]	A	2350		AT	02-DEC-2009
M	MIL-PRF-62331A NOT 1	Pump Assembly, Beige, Electric Motor Driven, Direct Current [CUST: AT]	A	4320		AT	01-DEC-2009
M	MIL-PRF-62198A NOT 1	Valve, Selector, Hydraulic Dump [CUST: AT CC]	A	4820		AT	14-DEC-2009
M	MS18012A NOT 2	Handle, Metal, Spring Bail Type [CUST: MI OS] [REVIEW: IS]	A	5340		MI	16-DEC-2009
M	MIL-M-38510/10D NOT 1	Microcircuits, Digital, Bipolar, TTL, Decoders Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/11D NOT 1	Microcircuits, Digital, TTL, Arithmetic Logic Units/Function Generators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/12J NOT 1	Microcircuits, Digital, Bipolar, TTL, Monostable Multivibrators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/152C NOT 1	Microcircuits, Digital, TTL, Data Decoders/Demultiplexers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009
M	MIL-M-38510/153B NOT 1	Microcircuits, Digital, TTL, Quadruple Bus Buffer Gates with Three-State Outputs, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	16-DEC-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	ASTM-D75	Aggregates Sampling (No S/S Document) [CUST: YD 99 IS]	A	5610		IS	10-DEC-2009
M	SDI105	Frames, Steel, Recommended Erection Instruction for (No S/S Document) [CUST: YD 84 IS]	A	5670		IS	10-DEC-2009
M	SDI107	Doors, Steel, Hardware on (Reinforcement-Application) (No S/S Document) [CUST: YD 84 IS]	A	5670		IS	10-DEC-2009
M	SDI111A	Doors, Steel, Frames, Details, Recommended Standard (No S/S Document) [CUST: YD 99 IS]	A	5670		IS	10-DEC-2009
M	SDI114	Doors and Frame Assemblies, Steel, Test Procedure and Acceptance Criteria for Acoustical Performance for (No S/S Document) [CUST: CR4 YD IS]	A	5670		IS	10-DEC-2009
M	SDI116	Doors and Frame Assemblies, Steel, Standard Test Procedure and Acceptance Criteria for Rate of Air Flow Through Closed (No S/S Document) [CUST: CR4 YD IS]	A	5670		IS	10-DEC-2009
M	MIL-PRF-39022/11D NOT 1	Capacitors, Fixed, Metallized Plastic Dielectric, Direct-Current, Hermetically Sealed, Styles CHR20, CHR21, CHR22, CHR23, CHR24, CHR25 (See Notice 1 for Replacement Information) [CUST: CR EC CC]	A	5910		CC	16-DEC-2009
M	MIL-F-3922/63B(2) NOT 2	Flanges, Waveguide (Miniature, Unpressurized Contact) (4 Hole and 8 Hole) (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH]	A	5985		CC	03-DEC-2009
M	A-A-53525 NOT 1	Rule, Accommodation Test and Test Card (No S/S Document) [CUST: MD MS 03]	A	6540	/	MB	04-DEC-2009
M	A-A-54886 NOT 1	Envelope, Radiographic Film Mount, Dental (No S/S Document) [CUST: MD MS 03]	A	7530	/	MB	04-DEC-2009
M	MIL-DTL-31000C NOT 1	Technical Data Packages (S/S by MIL-STD-31000) [CUST: AR OS 16 DH] [REVIEW: 01 08 10 11 13 19 33 94 99 AC AS AV CC CG CH CM CR DI EA EC HS MA MC MI MP MR ND NP NS PT SA SE SH SM SO SP TD TM]	A	SESS		AR	05-NOV-2009